



macchina rettilinea su finezza 7 a 1 filo, 5 a 2 fili.

colori

uniti

solidità

secondo le norme UNI/ISO; per i rigati con colori contrastanti, è necessario richiedere solidità specifiche ed eseguire test di lavaggio.

finissaggio industriale

vaporizzare abbondantemente in fase di stiro; per una mano più fluida e per eliminare le tensioni di smacchinatura, si consiglia un lavaggio con ammorbidente specifico.

servizio campionature fino al 30-06-2013

★ colori pronti per campionatura XCX-XHX-XNX-XVX-XEY

per informazioni sull'utilizzo dell'articolo e dei bagni ottimali di tintura, vi preghiamo di richiedere la scheda tecnica.

use

flat-knitting machine gauge 7 for 1 ply, 5 for 2 ply.

colours

uniti

fastness

in compliance with UNI/ISO norms; for striped garments with contrasting colours, it is recommended to ask for specific fastness and carry out washing tests.

industrial finishing

steam generously during ironing; for a smoother hand and to eliminate the shrinkage due to the knitting tensions, it is suggested to wash with specific softener.

sampling service until 30-06-2013

* colours ready for sampling XCX-XHX-XNX-XVX-XEY

for any information regarding the use and dye-lot sizes of the yarn please ask for the technical sheet.













