



E.Miroglio EAD ISO 14001:2015 Cert. N°0039338 ISO 9001:2015 Cert. N°0039339



healthy working conditions



NO harmful or irritant chemicals used

## impiego

macchina rettilinea su finezza 7 e 5 a 1 filo

### estensibilità e restringimento

il grado d'elasticità del capo è determinato dalla regolazione della tensione del filo e della fittezza dei punti maglia in fase di smacchinatura. Si consiglia di eseguire un capo prototipo e sottoporlo ad un test di lavaggio.

# scarto di lavorazione

la particolare costruzione di quest'articolo e il processo di tintura comportano uno scarto del 5-7%.

### colori

uniti, mélange.

Non sono riproducibili colori a campione.

# solidità

secondo le norme UNI/ISO; per i rigati con colori contrastanti, è necessario richiedere solidità specifiche ed eseguire test di lavaggio.

## finissaggio industriale

per scaricare le tensioni di lavorazione e completare il ritorno elastico della componente Elastan, si consiglia di lavare con ammorbidente specifico e vaporizzare abbondantemente in fase di stiro.

## servizio campionature fino al 31-12-2019

\* colori pronti per campionatura

per informazioni sull'utilizzo dell'articolo e dei bagni ottimali di tintura, vi preghiamo di richiedere la scheda tecnica.

#### use

flat-knitting machine gauge 7-5 for 1-ply.

# stretch and shrinking degree

the garment stretch degree is determined by yarn tension and knit thickness adjustment during knitting. It is suggested to make a prototype garment and wash it as a test.

# knitting waste

the particular yarn construction and dyeing process may cause a 5-7% knitting waste.

### colours

solid, mélange.

We cannot match colours in this quality.

### fastness

in compliance with UNI/ISO norms; for striped garments with contrasting colours, it is recommended to ask for specific fastness and carry out washing tests.

## industrial finishing

in order to loosen the knitting tensions and help the Elastan component stretch return, it is suggested to wash with specific softener and steam generously during

## sampling service until 31-12-2019

\* colours ready for sampling

for any information regarding the use and dye-lot sizes of the yarn please ask for the technical sheet.















